
ZHAOQING HAOZHIJIE METAL PRODUCTS CO., LTD.

Shower & Entrance Door Pull Handles | Manufacturer

ARCHITECTURAL HARDWARE CATALOG

DOOR PULL HANDLE COLLECTION




No. 24 Jinlang Road, Xiaolang Industrial Zone, Jinli Town,
Gaoyao District, Zhaoqing, Guangdong, China

HZJ-101

Solid Wood Round Bar H-Type
Back-to-Back Door Pull Handles



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length	425 (16.73")	Hole Spacing	317 (12.48")
Grip Diameter	26 (1.02")	Post Diameter	19 (0.75")
Overall Projection	63 (2.48")	Post Wall Thickness	1.0 (0.04")

Material: Solid Wood Grip + SS304 / SS316 Posts

Mounting Hardware Included




Available Finishes: Natural Wood Tone, Black Walnut Tone, Teak Tone.


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-102

U-Type Round Tube Door Pull Handle



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

642 (25.28") Overall Length	610 (24.02") Hole Spacing
19 (0.75") Grip Diameter	32×8 (1.26"×0.31") Fixing Cap Diameter × Thickness
60 (2.36") Overall Projection	1.5 (0.06") Tube Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-103

Rectangular Tube Back-to-Back Door Pull Handle with Round Mounting Posts



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

540 (21.26") Overall Length	500 (19.69") Hole Spacing
40×15 (1.57"×0.59") Tube Cross Section	30 (1.18") Clearance
45 (1.77") Overall Projection	1.0 (0.04") Tube Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-104

Long and Short Square Tube Back-to-Back Door Pull Handle Set



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

475 (18.70")	455 (17.91")
Handle A Overall Length	Handle A Hole Spacing
170 (6.69")	150 (5.91")
Handle B Overall Length	Handle B Hole Spacing
19×19 (0.75"×0.75")	59 (2.32")
Tube Cross Section	Overall Projection
40 (1.57")	1.0 (0.04")
Clearance	Tube Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-105

Right-Angle Round Tube Back-to-Back Door Pull Handle Set



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length	632 (24.88")	Hole Spacing	600 (23.62")
Grip Diameter	32 (1.26")	Post Diameter	32 (1.26")
Overall Projection	74 (2.91")	Tube Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-106

H-Type Round Tube Door Pull Handle



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length	600 (23.62")	Hole Spacing	400 (15.75")
Grip Diameter	32 (1.26")	Post Diameter	25 (0.98")
Inner Tube Clearance	100 (3.94")	Tube Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-107

Round Tube Back-to-Back Door Pull Handle Set



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length	220 (8.66")	Hole Spacing	201 (7.91")
Grip Diameter	19 (0.75")	Post Diameter	19 (0.75")
Overall Projection	59 (2.32")	Tube Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included




Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-108

Right-Angle Round Tube Back-to-Back Door Pull Handle Set



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length	220 (8.66")	Hole Spacing	201 (7.91")
Grip Diameter	19 (0.75")	Post Diameter	19 (0.75")
Overall Projection	60 (2.36")	Tube Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included




Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror), Antique Copper.


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-109

H-Type Door Pull Handle



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

556 (21.89")	Overall Length	472 (18.58")	Hole Spacing
19 (0.75")	Grip Diameter	16 (0.63")	Post Diameter
56 (2.20")	Overall Projection	1.0 (0.04")	Tube Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-110

H-Type Door Pull Handle with Decorative Covers



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length	556 (21.89")	Hole Spacing	472 (18.58")
Grip Diameter	19 (0.75")	Post Diameter	16 (0.63")
Overall Projection	56 (2.20")	Tube Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-111

U-Type Round Tube Door Pull Handle with Round Bases



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Grip Overall Length	500 (19.69")	Hole Spacing	468 (18.43")
Base Overall Length	532 (20.94")	Base Diameter	64 (2.52")
Grip Diameter	32 (1.26")	Tube Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-112

Rectangular Tube U-Type Door Pull Handle with L-Shaped Mounting Brackets



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

450 (17.72")	435 (17.13")
Overall Length	Hole Spacing
30×15 (1.18"×0.59")	55 (2.17")
Tube Cross Section	Overall Projection
50 (1.97")	30×33 (1.18"×1.30")
Bracket Length	Bracket Width × Height
3 (0.12")	1.0 (0.04")
Base Plate Thickness	Tube Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-113

U-Type Square Tube Door Pull Handle



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

420 (16.54") Overall Length	400 (15.75") Hole Spacing
20×20 (0.79"×0.79") Tube Cross Section	60 (2.36") Clearance
80 (3.15") Overall Projection	1.0 (0.04") Tube Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included




Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-114

Rectangular Tube Door Pull Handle with Round Mounting Posts



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

455 (17.91") Overall Length	425 (16.73") Hole Spacing
30×10 (1.18"×0.39") Tube Cross Section	30 (1.18") Post Diameter
61 (2.40") Overall Projection	1.0 (0.04") Tube Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-115

S-Type Round Tube Back-to-Back Door Pull Handle



TECHNICAL DRAWING




SPECIFICATIONS

Units: mm (inch)

Overall Length	600 (23.62")	Hole Spacing	405 (15.94")
Grip Diameter	32 (1.26")	Post Diameter	25 (0.98")
Overall Projection	40 (1.57")	Tube Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included




Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-116

Rectangular Tube Back-to-Back Door Pull Handles



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length	225 (8.86")	Hole Spacing	200 (7.87")
Tube Section	25×5 (0.98"×0.20")	Post Diameter	25 (0.98")
Overall Projection	32 (1.26")	Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-117

Long and Short Round Tube Back-to-Back Door Pull Handle Set



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Long Grip Length	425 (16.73")	Long Grip Hole Spacing	400 (15.75")
Short Grip Length	225 (8.86")	Short Grip Hole Spacing	200 (7.87")
Tube Diameter	25 (0.98")	Post Diameter	25 (0.98")

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-118

Triangular Tube Back-to-Back Door Pull Handles



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length: 424 (16.69")	Hole Spacing: 400 (15.75")
Tube Section: 25×35 (0.98"×1.38")	Overall Projection: 65 (2.56")
Wall Thickness: 1.0 (0.04")	

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-119

Rectangular Tube H-Type Back-to-Back Door Pull Handles



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

400 (15.75")	300 (11.81")
Overall Length	Hole Spacing
15×40 (0.59"×1.57")	1.0 (0.04")
Tube Section	Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Polished Chrome, Satin Brushed, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Polished Gold.


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-120

Rectangular Tube U-Type Door Pull Handle with Unequal Mounting Posts



TECHNICAL DRAWING




SPECIFICATIONS

Units: mm (inch)

450 (17.72") Overall Length	390 (15.35") Hole Spacing
15×30 (0.59"×1.18") Tube Section	150 (5.91") Upper Post Projection
105 (4.13") Lower Post Projection	1.0 (0.04") Wall Thickness

Material: SS201 / SS304 / SS316

Mounting Hardware Included




Available Finishes: Polished Chrome, Satin Brushed, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Polished Gold.


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-121

Rectangular Tube Long and Short Back-to-Back Door Pull Handles



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Long Grip Length	500 (19.69")	Long Grip Hole Spacing	400 (15.75")
Short Grip Length	300 (11.81")	Short Grip Hole Spacing	200 (7.87")
Tube Section	30×15 (1.18"×0.59")	Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Round Mounting Post Details




Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).


Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.

HZJ-122

H-Type Round Tube Back-to-Back Door Pull Handles



TECHNICAL DRAWING



SPECIFICATIONS

Units: mm (inch)

Overall Length	800 (31.50")	Hole Spacing	600 (23.62")
Tube Diameter	32 (1.26")	Post Diameter	25 (0.98")
Overall Projection	70 (2.76")	Wall Thickness	1.0 (0.04")

Material: SS201 / SS304 / SS316

Mounting Hardware Included



Available Finishes: Mirror Polish, Satin, Matte Black, Brushed Brass, Brushed Nickel, Gun Metal, Brushed Bronze, Brushed Copper, Natural Brass, White, Black Chrome, Titanium Gold (Mirror).

Standard Fit: 8–12mm glass (Ø12/14mm drill hole); extended screws for 35–55mm wood/metal doors available on request.