HOZKING
SHOWER & ENTRANCE DOOR PULLS

2026 B2B EDITION

HOZKING PRODUCT CATALOG

DOOR PULL HANDLE COLLECTION

- SS201 · SS304 · SS316
- 8–12 mm tempered glass · 35–55 mm metal doors
- 100 Sets (Sample Orders Supported)
- 5 Core Finishes · Custom Finishes & OEM Sizing



HZJ-122 FLAGSHIP MODEL

Ladder Pull (H-Type)

ZHAOQING HAOZHIJIE METAL PRODUCTS CO., LTD.

No. 24 Jinlang Road, Xiaolang Industrial Zone, Jinli Town, Gaoyao District, Zhaoqing, Guangdong, China

WEBSITE www.hozking.com

EMAIL bosco@hozking.com

WHATSAPP +86 13229007430


WECHAT +86 13229007430

HZJ-101 Ladder Pull (H-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	Solid Wood Grip + SS201 / SS304 / SS316 Posts
Overall Length	425 mm (16.73")
Hole Spacing (CTC)	317 mm (12.48")
Tube Spec	Ø26 mm (1.02")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes


Natural Wood Tone · Black Walnut Tone · Teak Tone

Custom finishes & tones available on request.


HZJ-102

D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**642 mm (25.28")**
Hole Spacing (CTC)	**610 mm (24.02")**
Tube Spec	**Ø19 mm (0.75")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-103 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	540 mm (21.26")
Hole Spacing (CTC)	500 mm (19.69")
Tube Spec	40×15 mm (1.57"×0.59")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-104 Shower Towel Bar Combo (L-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	Handle A: 475 / B: 170 mm (A: 18.70" / B: 6.69")
Hole Spacing (CTC)	Handle A: 455 / B: 150 mm (A: 17.91" / B: 5.91")
Tube Spec	19×19 mm (0.75"×0.75")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-105 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	632 mm (24.88")
Hole Spacing (CTC)	600 mm (23.62")
Tube Spec	Ø32 mm (1.26")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-106 Ladder Pull (H-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**600 mm (23.62")**
Hole Spacing (CTC)	**400 mm (15.75")**
Tube Spec	**Ø32 mm (1.26")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-107 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**220 mm (8.66")**
Hole Spacing (CTC)	**201 mm (7.91")**
Tube Spec	**Ø19 mm (0.75")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal

Custom finishes available on request.


HZJ-108

D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**220 mm (8.66")**
Hole Spacing (CTC)	**201 mm (7.91")**
Tube Spec	**Ø19 mm (0.75")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-109 Ladder Pull (H-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**556 mm (21.89")**
Hole Spacing (CTC)	**472 mm (18.58")**
Tube Spec	**Ø19 mm (0.75")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-110 Ladder Pull (H-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**556 mm (21.89")**
Hole Spacing (CTC)	**472 mm (18.58")**
Tube Spec	**Ø19 mm (0.75")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-111 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**532 mm (20.94")**
Hole Spacing (CTC)	**468 mm (18.43")**
Tube Spec	**Ø32 mm (1.26")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-112 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	450 mm (17.72")
Hole Spacing (CTC)	435 mm (17.13")
Tube Spec	30×15 mm (1.18"×0.59")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-113 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	420 mm (16.54")
Hole Spacing (CTC)	400 mm (15.75")
Tube Spec	20×20 mm (0.79"×0.79")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.


Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-114 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	455 mm (17.91")
Hole Spacing (CTC)	425 mm (16.73")
Tube Spec	30×10 mm (1.18"×0.39")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.


Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-115 Offset & S-Type

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	600 mm (23.62")
Hole Spacing (CTC)	405 mm (15.94")
Tube Spec	Ø32 mm (1.26")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.


Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-116 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**225 mm (8.86")**
Hole Spacing (CTC)	**200 mm (7.87")**
Tube Spec	**25×5 mm (0.98"×0.20")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-117 Shower Towel Bar Combo (L-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	Long: 425 / Short: 225 mm (Long: 16.73" / Short: 8.86")
Hole Spacing (CTC)	Long: 400 / Short: 200 mm (Long: 15.75" / Short: 7.87")
Tube Spec	Ø25 mm (0.98")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-118 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	424 mm (16.69")
Hole Spacing (CTC)	400 mm (15.75")
Tube Spec	25×35 mm (0.98"×1.38")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-119 Ladder Pull (H-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	400 mm (15.75")
Hole Spacing (CTC)	300 mm (11.81")
Tube Spec	15×40 mm (0.59"×1.57")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-120 D-Pull & C-Pull (U-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	450 mm (17.72")
Hole Spacing (CTC)	390 mm (15.35")
Tube Spec	15×30 mm (0.59"×1.18")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.


Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-121 Shower Towel Bar Combo (L-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**Long: 500 / Short: 300 mm (Long: 19.69" / Short: 11.81")**
Hole Spacing (CTC)	**Long: 400 / Short: 200 mm (Long: 15.75" / Short: 7.87")**
Tube Spec	**30×15 mm (1.18"×0.59")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.


Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-122 Ladder Pull (H-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	**SS201 / SS304 / SS316**
Overall Length	**800 mm (31.50")**
Hole Spacing (CTC)	**600 mm (23.62")**
Tube Spec	**Ø32 mm (1.26")**
Additional Sizes	**Custom lengths, CTC & tube sizes available on request.**
Minimum Order Quantity (MOQ)	**100 Sets (Sample Orders Supported)**

Standard Door Compatibility

- **8–12 mm tempered glass** (Ø12/14 mm drill holes)
- **35–55 mm metal doors** (optional extended bolts)

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-123 Ladder Pull (H-Type)

MAIN VIEW



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	800 mm (31.50")
Hole Spacing (CTC)	500 mm (19.69")
Tube Spec	Ø38 mm (Ø1.50")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- 8–12 mm tempered glass
- 35–55 mm metal doors

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-124 Shower Towel Bar Combo (L-Type)

MAIN VIEW · Brushed Rose Gold



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	Long: 560 / Short: 300 mm (Long: 22.05" / Short: 11.81")
Hole Spacing (CTC)	Long: 460 / Short: 200 mm (Long: 18.11" / Short: 7.87")
Tube Spec	Ø19 mm (Ø0.75")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- 8–12 mm tempered glass
- 35–55 mm metal doors

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-125 Shower Towel Bar Combo (L-Type)

MAIN VIEW · Mirror Polish



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	Long: 465 / Short: 200 mm (Long: 18.31" / Short: 7.87")
Hole Spacing (CTC)	Long: 450 / Short: 170 mm (Long: 17.72" / Short: 6.69")
Tube Spec	30×15 mm (1.18"×0.59")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- 8–12 mm tempered glass
- 35–55 mm metal doors

Custom bolt lengths available for other door thicknesses.


Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-126 Shower Towel Bar Combo (L-Type)

MAIN VIEW · Mirror Polish



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	Long: 500 / Short: 300 mm (Long: 19.69" / Short: 11.81")
Hole Spacing (CTC)	Long: 470 / Short: 270 mm (Long: 18.50" / Short: 10.63")
Tube Spec	30×10 mm (1.18"×0.39")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- 8–12 mm tempered glass
- 35–55 mm metal doors

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal


Custom finishes available on request.

HZJ-127 Shower Towel Bar Combo (L-Type)

MAIN VIEW · Mirror Polish



ENGINEERING DIMENSIONS (mm)



VERIFIED CATALOG SPECIFICATIONS

Material Grade	SS201 / SS304 / SS316
Overall Length	Long: 450 / Short: 250 mm (Long: 17.72" / Short: 9.84")
Hole Spacing (CTC)	Long: 425 / Short: 225 mm (Long: 16.73" / Short: 8.86")
Tube Spec	30×30 mm (1.18"×1.18")
Additional Sizes	Custom lengths, CTC & tube sizes available on request.
Minimum Order Quantity (MOQ)	100 Sets (Sample Orders Supported)

Standard Door Compatibility

- 8–12 mm tempered glass
- 35–55 mm metal doors

Custom bolt lengths available for other door thicknesses.

Available Surface Finishes

Mirror Polish · Satin · Matte Black · Brushed Brass · Gun Metal

Custom finishes available on request.

HOZKING
SHOWER & ENTRANCE DOOR PULLS

Materials & Manufacturing

Stainless Steel Grades

SS201

Dry interiors

Cost-effective for interior doors in dry environments.

SS304

General use

A balanced choice for most indoor projects, including shower and bathroom doors.

SS316

Coastal exposure

Enhanced corrosion resistance for coastal and high-humidity installations.

Manufacturing Capabilities

OEM

Custom overall lengths and hole spacing. 5 Core Finishes · Custom Finishes & OEM Sizing

ODM

Project-specific pull handle designs and configurations.

100% Inspection

Piece-by-piece quality inspection before shipment.

Contact HOZKING

ZHAOQING HAOZHIJIE METAL PRODUCTS CO., LTD.

No. 24 Jinlang Road, Xiaolang Industrial Zone, Jinli Town, Gaoyao District, Zhaoqing, Guangdong, China

WEBSITE
www.hozking.com

EMAIL
bosco@hozking.com

WHATSAPP
+86 13229007430

WECHAT
+86 13229007430